


STRUCTURAL PROBLEMS IN PRISONS: Prospects for European Intervention

Prison reforms in the context of EU accession. The case of the Republic of Moldova

18-19 November 2024 Strasbourg, France

NICOLETA HRIPLIVII
Lawyer at Promo-LEX Association
Board member of EPLN

EU - identified Issues in Moldova's Penitentiary System




Source: European Commission Moldova Report 2023 (SWD(2023)698)

Link to report: https://neighbourhood-enlargement.ec.europa.eu/document/download/d8ef3ca9-2191-46e7-b9b8-946363f6db91 en?filename=SWD 2023 698%20Moldova%20report.pdf

State's Positive Obligation to Combat III-Treatment in Prisons

REPORT


EVALUATION OF THE MECHANISM FOR PREVENTING AND COMBATING ILL-TREATMENT IN THE PENITENTIARY SYSTEM OF THE REPUBLIC OF MOLDOVA



Source: Promo-LEX Report on Evaluation of the Mechanism for Preventing and Combating Ill-Treatment in the Penitentiary System of the Republic of Moldova


Link to report: https://promolex.md/wp-content/uploads/2022/11/Report-Evaluation-of-the-mechanism-for-preventing-and-combating-ill-treatment-in-the-penitentiary-system-of-the-Republic-of-Moldova-.pdf

Illustration: Destructuring of the key deficiencies – BAD REPORTING



EVA-PASS: A tool for assessment of detention conditions

ASSESSMENT OF DETENTION CONDITIONS IN PENITENTIARY NO. 13



Source: Promo-LEX Report EVA-PASS 2023

Link to report: https://promolex.md/wp-content/uploads/2024/01/Report-EVA-PASS 2023 Eng.pdf

Examples of Evaluation Passports (EVA-PASS) for Each Cell in Penitentiary No.13

EVA-PASS — Celula nr. 56

	Suprafața gener	ală (SG):		Standardul	de referință	Schema celulei							
		Lungimea (m):	4.8	Distanța minimă	2 m								
	$\langle \cdot \rangle_{i}$	Lățimea (m):	4.3	între pereți (CPT)	2 m								
A		Înălțimea (m):	2.9	Înălțimea minimă (CPT)	2.5 m								
			5	Suprafața totală (m²)	20.2	4803							
	Bloc sanitar (BS):		Standardul	de referință								
	þ	Suprafața interioară a BS	1.5	Perimetrul blocului sanitar (CPT)	1-2 m²	x2 x2 x2 x2							
		Suprafața exterioară a BS	1.5		1-2 m²								
ı	Alte consideren	te privind condițiile sai	nitare	Standardul	de referință	18,78 m² x2							
		Intimitatea WC	Da	Delimitarea este nece: multiple pentru a asig minimă (CPT)		XZ							
		Apă disponibilă	Da			1748 m*							
		Disponibilitate baie	În afara celulei, de tip	comun									
	Fereastra				de referință vizibilitatea)	ARX							
		Perimetrul (m2)	3.2	ICRC 1 m ² / 10 m ² podea	1.9								
	1	Vizibilitatea:	Parțială										

140

Summary Table of Evaluated Cells in Penitentiary No.13

Cell no.	Ov	erall sur	rface (0	S)	Sanitary facility (SF)			Window			Access to persons with locomotor disabilities				Living space (LS)					
	OS overall surface (m²) (including SF)	Maximum length (m)	Maximum width (m)	Height (m)	SF external surface (m ²)	Internal surface (m²)	External washbasin (m²) (EW)	WC privacy	Surface m² (m²)	Norm m ² (LS/10)	Visibility Yes /No/Partial	Access door width m ²	WC access door width m ²	WC access for the disabled	Bathroom access for the disabled	Living space m² (external OS-SF)	Admissible no. of pers. (IS)	Admissible no. of pers. (NS)	No. of pers. accommodated	No of beds
International standard (IS)	-	2 m	2 m	2.5 m	-	1-2	1-2 m		1 m² / 10 m² (floor)			0.8	0.8				6m ² + 4m ² +4			
National standard (NS)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	4 m²	-	•
					F	UNCT	ONAL	CELLS	CORRES	PONDING	BY WIE		RAMETE							
02	10.2	4.9	2.2	2.5	1.4	1.3	0	✓	1.1	0.9	P	0.7	0.6	×	×	8.8	1	2	1	4
03	9.9	4.8	2.1	2.5	1.3	1.2	0	✓	1.2	0.9	P	0.7	0.6	×	×	8.6	1	2	0	4
07	10	4.8	2.1	2.8	1.4	1.2	0	✓	1.4	0.9	P	0.6	0.6	×	×	8.6	1	2	1	4
08	9.8	4.8	2.1	2.9	1.3	1.1	0	✓	1.1	8.0	P	0.7	0.6	×	×	8.5	1	2	1	4
13	23.2	4.9	4.8	3	1.5	1.3	0	✓	3.1	2.2	√	0.7	0.6	×	×	21.7	4	5	12	12
14	14.6	4	3.7	2.6	1.1	0.8	0	×	0.7	1.3	P	0.7	0.5	×	×	13.5	2	3	5	6
15	22.4	5.8	4.4	3	1.4	1.4	0	✓	1.6	2.1	P	0.7	0.6	×	X	21	4	5	8	10
15a	20.1	5.9	3.5	3	2.2	1.4	0	√	1.7	1.8	P	0.8	0.6	×	X	17.9	3	4	8	8
16	31.5	5.7	5.6	3.2	2.2	1.9	0	√	3.2	2.9	P	0.7	0.6	×	X	29.3	6	7	14	16
23	24.5	5.1	4.8	2.9	2.2	1.4	0	√	3.2	2.2	V	0.7	0.6	×	×	22.3	5	5	11	12

Code of signs and colors:

✓ Meets the standard

X Does not meet the standard

P Partially acceptable; limited visibility by physical obstructions, such as walls or other construction structures

Black within allowable limit of standard

Red Substandard